


with ZYNRELEF.

- in advance)



Can I attempt to do the entire preparation process on my own? It is recommended that this be done as a 2-person team to maintain sterility.



200 mg bupivacaine and 6 mg meloxicam Each mL contains 29.25 mg bupivacaine and 0.88 mg meloxicam


Administration Information

Please familiarize yourself with this information before you use this product for the first time.

ZYNRELEF should only be administered with the syringe and Luer lock applicator provided in the ZYNRELEF kit.

Administration

- 1. ADMINISTER ZYNRELEF VIA INSTILLATION ONLY.
- **2.** ZYNRELEF should not be administered via the following routes:
- Epidural
- Intrathecal
- Intravascular
- Intra-articular
- Regional nerve blocks
- Pre-incisional or pre-procedural locoregional anesthetic techniques
- **3.** ZYNRELEF is applied without a needle into the surgical site following final irrigation and suction and prior to suturing.
- A Only apply ZYNRELEF after final irrigation and suction of each layer before closing, if multiple tissue layers are involved.
- **4.** Using the Luer lock applicator attached to the syringe, apply ZYNRELEF to the tissues within the surgical site that could result in pain generation.
- **5.** Use a sufficient amount to coat the tissues. For small spaces, ensure there is not an excess that could be expressed from the site during closure.
- **6.** Only apply ZYNRELEF to the tissue layers below the skin incision and not directly onto the skin.



7. ZYNRELEF does not degrade sutures.

▲ When tying knots with monofilament sutures, contact with ZYNRELEF may cause knots to loosen or untie due to the viscosity of ZYNRELEF. In vitro studies showed an increase in elasticity with monofilament sutures exposed to ZYNRELEF with unknown clinical significance. Minimize administration of ZYNRELEF near the incision line and wipe off excess ZYNRELEF from the skin prior to suturing. Three or more knots ending in a multi-throw knot (e.g. a Surgeon's knot) are recommended with monofilament sutures. Braided or barbed sutures are recommended, especially for closure of deeper layers.

Important Information

- **A.** The amount of ZYNRELEF required depends upon the surgical area of tissue to be treated.
- **B.** ZYNRELEF spreads easily and covers a large area.
- **C.** Diluting ZYNRELEF is not needed for efficacy.

A ZYNRELEF cannot be mixed with water, saline, or other local anesthetics as the product will become very viscous and difficult to administer.

- **D.** When ZYNRELEF comes in contact with moisture in the tissues, it becomes more viscous, allowing it to stay in place.
- **E.** Avoid additional use of local anesthetics within 96 hours following administration of ZYNRELEF.

⚠ Overall local anesthetic exposure must be considered.

