### C9088

✓ HOPD, ASC: Separate Payment Through 2027 (Medicare)

# REIMBURSEMENT AND BILLING GUIDE

For billing and coding questions, call **Heron Connect**® at **1-844-HERON11** (1-844-437-6611) 8 AM to 5 PM ET, Monday through Friday.

#### ZYNRELEF is the first and only extended-release dual-acting local anesthetic.

#### INDICATION

ZYNRELEF is indicated in adults for instillation to produce postsurgical analgesia for up to 72 hours after soft tissue and orthopedic procedures including foot and ankle, and other procedures in which direct exposure to articular cartilage is avoided.

<u>Limitations of Use</u>: Safety and efficacy have not been established in highly vascular surgeries, such as intrathoracic, large 4 or more level spinal, and head and neck procedures.

#### IMPORTANT SAFETY INFORMATION

### WARNING: RISK OF SERIOUS CARDIOVASCULAR AND GASTROINTESTINAL EVENTS

- Nonsteroidal anti-inflammatory drugs (NSAIDs) cause an increased risk of serious cardiovascular thrombotic
  events, including myocardial infarction and stroke, which can be fatal. This risk may occur early in treatment and
  may increase with duration of use.
- ZYNRELEF is contraindicated in the setting of coronary artery bypass graft (CABG) surgery.
- NSAIDs cause an increased risk of serious gastrointestinal (GI) adverse events including bleeding, ulceration, and perforation of the stomach or intestines, which can be fatal. These events can occur at any time during use and without warning symptoms. Elderly patients and patients with a prior history of peptic ulcer disease and/or GI bleeding are at greater risk for serious GI events.





#### INTRODUCTION

Heron Therapeutics, Inc, is pleased to provide this reference guide to support patient access to ZYNRELEF.

The coding information contained herein is for informative purposes only and is not a guarantee of coverage or reimbursement for any product or service. This information is not intended to substitute for the physician's independent diagnosis or treatment of each patient.

Coding, coverage, and reimbursement for ZYNRELEF will vary based on the patient's health insurance and the reimbursement status per site of care.

#### **HERON CONNECT**

Dedicated Heron Connect Reimbursement Counselors offer customized support for ZYNRELEF billing and coding questions. Reimbursement Counselors are available at **1-844-HERON11 (1-844-437-6611)** from 8 AM to 5 PM ET, Monday through Friday.



For more information, visit **HeronConnect.com** 

#### **IMPORTANT SAFETY INFORMATION (CONT)**

#### **Contraindications**

ZYNRELEF is contraindicated in patients with a known hypersensitivity (eg, anaphylactic reactions and serious skin reactions) to any amide local anesthetic, NSAIDs, or other components of ZYNRELEF; with history of asthma, urticaria, or other allergic-type reactions after taking aspirin or other NSAIDs (severe, sometimes fatal, anaphylactic reactions to NSAIDS have been reported in such patients); undergoing obstetrical paracervical block anesthesia; or undergoing CABG.

#### **Warnings and Precautions**

<u>Dose-Related Toxicity</u>: Monitor cardiovascular and respiratory vital signs and patient's state of consciousness after application of ZYNRELEF. When using ZYNRELEF with other local anesthetics, overall local anesthetic exposure must be considered through 72 hours

Hepatotoxicity: If abnormal liver tests persist or worsen, perform a clinical evaluation of the patient

<u>Hypertension</u>: Patients taking some antihypertensive medication may have impaired response to these therapies when taking NSAIDs. Monitor blood pressure.

<u>Heart Failure and Edema</u>: Avoid use of ZYNRELEF in patients with severe heart failure unless benefits are expected to outweigh risk of worsening heart failure.





#### ZYNRELEF REIMBURSEMENT AND BILLING SUMMARY

ZYNRELEF should be billed using C9088. The billable unit for C9088 is 1 mg/0.03 mg.

#### **Medicare Billing and Reimbursement**

- ZYNRELEF is reimbursed separately in HOPDs and ASCs through 2027
- Through March 2025: ZYNRELEF is separately reimbursed at ASP + 6% in HOPDs and ASCs under 3-year transitional pass-through status
- Effective April 1, 2025: ZYNRELEF is covered under the Non Opioid Policy for Pain Relief.\*

The Policy provides separate payments for qualifying non-opioid treatments for pain relief in both the hospital outpatient department and ambulatory surgical center settings. The goal of this policy is to remove financial barriers to use non-opioids and ensure the use of opioids is not financially incentivized.

#### **Commercial Billing and Reimbursement**

- Commercial payers have been notified that C9088 has been assigned for ZYNRELEF; many customers have reported separate commercial payment
- Commercial reimbursement varies by payer and site of care; contact payers to verify coverage
- Heron offers resources to assist with billing and coding and to support separate payment requests
- \*The key inclusion criteria are the following:
- A label indication approved by the Food and Drug Administration to reduce postoperative pain, or produce postsurgical or regional analgesia, without acting upon the body's opioid receptors.
- Demonstrated the ability to replace, reduce, or avoid intraoperative or postoperative opioid use or the quantity of opioids prescribed in a clinical trial or through data published in a peer-reviewed journal.

#### **ZYNRELEF Coding Information**

HCPCS Code	Description	Billable Unit
C9088	Instillation, bupivacaine and meloxicam	1 mg/0.03 mg

NDC <sup>a</sup>	Bupivacaine/Meloxicam	Billable Units <sup>b</sup>
47426-303-01 (VVS)	200 mg/6 mg	200
47426-501-02 (VAN)	400 mg/12 mg	400
47426-503-01 (VAN)	200 mg/6 mg	200

<sup>&</sup>lt;sup>a</sup>11-digit NDCs for billing ZYNRELEF include a 0 before the 3 of the product code.

bUse the JZ modifier if there are no discarded amounts. Use the JW modifier to separately bill unused and discarded drug amounts.

Note: ZYNRELEF is supplied as a kit consisting of a single-dose nonsterile glass vial (containing sterile active ingredients) and the following sterile components: Luer lock syringe(s), a vented vial spike, Luer lock cone-shaped applicator(s), and syringe tip cap(s). ZYNRELEF should only be prepared and administered with the components provided in the ZYNRELEF kit.

Modifier	Description
JZ	Zero drug amount discarded/not administered to any patient
JW	Drug amount discarded/not administered to any patient (indicate quantity discarded)
JG	Modifier for drug or biological acquired with 340B drug pricing program discount, reported for informational purposes
ТВ	Modifier for drug or biological acquired with 340B drug pricing program discount; reported for informational purposes for select entities

 $Note: For \ dates \ of \ service \ on \ or \ after \ July \ 1, 2023, \ the \ JZ \ modifier \ is \ required \ on \ claims \ for \ single-dose \ containers \ when \ no \ amount \ was \ discarded.$ 

#### **IMPORTANT SAFETY INFORMATION (CONT)**

#### **Warnings and Precautions (cont)**

<u>Renal Toxicity</u>: Monitor renal function in patients with renal or hepatic impairment, heart failure, dehydration, or hypovolemia. Avoid use of ZYNRELEF in patients with advanced renal disease unless benefits are expected to outweigh risk of worsening renal failure.





#### ASC COVERAGE AND BILLING FOR ZYNRELEF

Coverage for ZYNRELEF varies by health insurance plan and site of care. The table below summarizes the coverage and payment type for ASCs.

#### **ZYNRELEF Coverage and Reimbursement Policy in ASCs**

Medicare	ZYNRELEF is reimbursed separately <b>through 2027</b> .
	<b>Through March 2025:</b> Separate reimbursement at <b>ASP + 6%</b> (pass-through status).
	<b>April 2025 through December 2027:</b> Separate reimbursement under law promoting access to non-opioids ( <i>HR 2617 §4135, signed December 2022</i> ).
Medicaid	Each State Medicaid Agency sets its own coverage policies and payment rates.
Private Commercial Payer	Separate payment for ZYNRELEF is available for many commercial patients.  Commercial reimbursement varies by payer and site of care; contact payers to verify coverage.

#### **IMPORTANT SAFETY INFORMATION (CONT)**

#### **Warnings and Precautions (cont)**

Anaphylactic Reactions: Seek emergency help if an anaphylactic reaction occurs.

Risk of Joint Cartilage Necrosis and Degeneration with Unapproved Intra-articular Use: Animal studies evaluating the effects of ZYNRELEF following intra-articular administration in the knee joint demonstrated cartilage necrosis and degeneration.

<u>Chondrolysis</u>: Limit exposure to articular cartilage due to the potential risk of chondrolysis.

Methemoglobinemia: Cases have been reported with local anesthetic use.

<u>Serious Skin Reactions</u>: NSAIDs, including meloxicam, can cause serious skin adverse reactions. If symptoms present, evaluate clinically.

<u>Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS)</u>: If symptoms are present, evaluate clinically.

<u>Fetal Toxicity</u>: Due to the risk of oligohydramnios/fetal renal dysfunction and premature closure of the ductus arteriosus with NSAIDS, limit use of ZYNRELEF between about 20 to 30 weeks gestation, and avoid use after about 30 weeks.

<u>Hematologic Toxicity</u>: Monitor hemoglobin and hematocrit in patients with any signs or symptoms of anemia.

#### **Drug Interactions**

<u>Drugs That Interfere with Hemostasis</u>: Monitor patients for bleeding who are using ZYNRELEF with drugs that interfere with hemostasis (eg, warfarin, aspirin, SSRIs/SNRIs).

ACE Inhibitors, Angiotensin Receptor Blockers (ARBs), or Beta-Blockers: Use with ZYNRELEF may diminish the antihypertensive effect of these drugs. Monitor blood pressure.

<u>ACE Inhibitors and ARBs</u>: Use with ZYNRELEF in elderly, volume-depleted, or those with renal impairment may result in deterioration of renal function. In such high-risk patients, monitor for signs of worsening renal function.

<u>Diuretics</u>: NSAIDs can reduce natriuretic effect of furosemide and thiazide diuretics. Monitor patients to assure diuretic efficacy including antihypertensive effects.





## ACUTE CARE (HOSPITAL INPATIENT DEPARTMENT, ED<sup>a</sup>, AND HOPD) COVERAGE AND BILLING FOR ZYNRELEF

Coverage for ZYNRELEF varies by health insurance plan and site of care. Reimbursement of ZYNRELEF in a surgical procedure occurring during a hospital inpatient admission would be included in the diagnosis-related group (DRG) payment.

The table below summarizes the coverage and payment type for HOPDs.

#### **ZYNRELEF Coverage and Reimbursement Policy in HOPDs**

Medicare	ZYNRELEF is reimbursed separately <b>through 2027</b> .
	Through March 2025: Separate reimbursement at ASP + 6% (pass-through status).
	<b>Effective April 1, 2025:</b> ZYNRELEF is covered under the Non Opioid Policy for Pain Relief.
	The Policy provides separate payments for qualifying non-opioid treatments for pain relief in both the hospital outpatient department and ambulatory surgical center settings. The goal of this policy is to remove financial barriers to use non-opioids and ensure the use of opioids is not financially incentivized.
Medicaid	Each State Medicaid Agency sets its own coverage policies and payment rates.
Private Commercial Payer	Separate payment for ZYNRELEF is available for many commercial patients. Commercial reimbursement varies by payer and site of care; contact payers to verify coverage.

<sup>\*</sup>For patients covered by Medicare, when the surgery occurs in the ED, reimbursement is the same as in a HOPD; however, if a patient is admitted, inpatient reimbursement rules apply.

#### **IMPORTANT SAFETY INFORMATION (CONT)**

#### **Use in Specific Populations**

<u>Infertility</u>: NSAIDs are associated with reversible infertility. Consider avoidance of ZYNRELEF in women who have difficulties conceiving.

<u>Severe Hepatic Impairment</u>: Only use if benefits are expected to outweigh risks; monitor for signs of worsening liver function.

Severe Renal Impairment: Not recommended.


#### **Adverse Reactions**

Most common adverse reactions (incidence ≥5%) in controlled clinical trials with ZYNRELEF are soft tissue procedures: vomiting and orthopedic procedures: constipation and headache.

Report side effects to Heron at 1-844-437-6611 or to FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.



## SAMPLE CLAIM FORM CMS-1450 (UB-04): HOPD, ASC (NON-MEDICARE PAYERS; CONFIRM WITH PAYER)



This document is provided for your guidance only. Coding requirements may vary by payer; please consult the payer to determine which codes are required.



was discarded.

## SAMPLE CLAIM FORM CMS-1500: ASC (MEDICARE) AND PHYSICIAN OFFICE

CMS requires ASCs to submit a CMS-1500 claim form when billing a Medicare Administrative Contractor (MAC). Most commercial plans require a CMS-1450 (UB-04) claim form (see page 6 for an example). Please use the claim form that you are currently utilizing when submitting to a commercial plan. Physician office billing requires the submission of the CMS-1500 claim form for all plans.

	HEALTH INSURANCE CLAIM FORM APPROVED BY MATIONAL UNIFORM CLAIM COMMITTEE INJUCT			CARRIER -
Complete the information	PICA		PICA TITLE	1
needed to bill for the procedure.		AMPVA GROUP FECA OTHEI  Imber ID#) (ID#) GROUP FECA OTHEI  Imber ID#) (ID#) (ID#) (ID#)	R 1a. INSURED'S I.D. NUMBER (For Program in Item 1)	1
ZYNRELEF must be billed using	2. PATIENT'S NAME (Last Name, First Name, Middle Initial)	3. PATIENT'S BIRTH DATE SEX	4. INSURED'S NAME (Last Name, First Name, Middle Initial)	
a separate line.	1	м		
	5. PATIENT'S ADDRESS (No., Street)	6. PATIENT RELATIONSHIP TO INSURED  Self Spouse Child Other		
Field 24 (Shaded Area):	CITY	TATE 8, RESERVED FOR NUCC USE	CITY STATE	z
Include the required additional information (eg, product name and NDC).	ZIP CODE TELEPHONE (Include Area Code) ( ) 9, OTHER INSURED'S NAME (Last Name, First Name, Middle Initial	10. IS PATIENT'S CONDITION RELATED TO:	ZIP CÔDE TELEPHONE ((Include Arisa Code)	<b>IFORMATIO</b>
Example:			11. INSURED S POLICI GROUP ON RECA NUMBER	E N
• For 200 mg/6 mg (7 mL) VVS kit: ZYNRELEF, 47426-303-01	a. OTHER INSURED'S POLICY OR GROUP NUMBER  b. RESERVED FOR NUCC USE	a, EMPLOYMENT? (Current or Previous)  VES NO b, AUTO ACCIDENT?  PLACE (State)	a. INSURED'S DATE OF BIRTH  MM   DD   YY  M   F    b. OTHER CLAIM ID (Designated by NUCC)	AD INSUR
• For 400 mg/12 mg (14 mL) VAN kit: ZYNRELEF, 47426-501-02	c, RESERVED FOR NUCC USE	c. OTHER ACCIDENT?	C. INSURANCE PLAN NAME OR PROGRAM NAME	TIENT AP
• For 200 mg/6 mg (7 mL) VAN kit: ZYNRELEF, 47426-503-01	d, INSURANCE PLAN NAME OR PROGRAM NAME  READ BACK OF FORM BEFORE COMP.  12. PATIENT'S OR AUTHORIZED PERSON'S SIGNATURE Fauthori	10d, CLAIM CODES (Designated by NUCC)  LETING & SIGNING THIS FORM.	d, IS THERE ANOTHER HEALTH BENEFIT PLAN?  YES NO # yes, complete items 9, 9a, and 9d.  13. INSURED'S OR AUTHORIZED PERSON'S SIGNATURE I authorize	PA
Payer NDC requirements and placement may vary; confirm with	<ol> <li>PATIENT'S OR AUTHORIZED PERSON'S SIGNATURE. Fauthor to process this claim. Lalso request payment of government benefits below.</li> <li>SIGNED</li> </ol>	ze the release of any medical or other information necessary either to myself or to the party who accepts assignment  DATE	payment of medical benefits to the undersigned physician or supplier for services described below.  SIGNED	ļ
payer or Heron Connect.	14. DATE OF CURRENT ILLNESS, INJURY, OF PREGNANCY (LMP)	QUAL	16. DATES PATIENT UNABLE TO WORK IN CURRENT OCCUPATION MM   DD   YY TO MM   TO	1
T: 1104B	17. NAME OF REFERRING PROVIDER OR OTHER SOURCE	17a. 17b. NPI	18. HOSPITALIZATION DATES RELATED TO CURRENT SERVICES MM DD YY	
Field 24D:  Specify HCPCS Code for ZYNRELEF, C9088.	19. ADDITIONAL CLAIM INFORMATION (Designated by NUCC) 21. DIAGNOSIS OR NATURE OF ILL NESS OR INJURY. Relate Ad.		20. OUTSIDE LAB? \$ CHARGES YES NO	
To indicate that the complete	21. DIAGNOSIS OR NATURE OF ILLNESS OR INJURY RELATE A-L		22. RESUBMISSION ORIGINAL REF. NO.	
single-dose vial was administered, use the HCPCS modifier JZ. <sup>a</sup>	E,	C.	23. PRIOR AUTHORIZATION NUMBER	L
If a portion of the single-use vial	From To PLACE OF	(Explain Unusual Circumstances) DIAGNOSI: T/HCPCS   MODIFIER POINTER	F. G. H. J. DAYS FSDT ID. RENDERING S CHARGES UNITS   Pan   QUAL. PROVIDER ID. #	OF.
was discarded, document it on a separate line using the HCPCS	MM DD YY MM DD YY XX ZYNRELEF, [NDC]	XXXX A	XXX XX 1 NPI XXXXXXXXX	JFORMA
modifier JW.		9Q88 JZ A	XXX XX XXX NPI XXXXXXXXX	8
Additional modifiers may be required, please confirm with commercial plans.	3		NPI NPI	SUPPLI
	5		NPI	IAN OR
Field 24G:			NPI	YSIC
Specify the number of units administered. The billable unit for C9088 is 1 mg/0.03 mg. For		NT'S ACCOUNT NO. 27. ACCEPT ASSIGNMENT? For port, claims, see back) YES NO	NPI	H
example, 400 mg/12 mg (14 mL) corresponds to 400 billable units.	31. SIGNATURE OF PHYSICIAN OR SUPPLIER INCLUDING DEGREES OR CREDENTIALS (I certify that the statements on the reverse apply to this bill and are made a part thereof,)		33. BILLING PROVIDER INFO & PH # (	
<sup>e</sup> For dates of service on or after July 1, 2023, the JZ modifier is required on claims for	SIGNED DATE		a. NP b.	+
single dose containers when no amount	NUCC Instruction Manual available at: www.nucc.org	PLEASE PRINT OR TYPE	APPROVED OMB-0938-1197 FORM 1500 (02-12)	

This document is provided for your guidance only. Coding requirements may vary by payer; please consult the payer to determine which codes are required.



### C9088

#### **CLAIM SUBMISSION CHECKLIST**

Have you included the HCPCS code for ZYNRELEF?  □ C9088	
Have you included the following information to support utilization of C9088?	
☐ Drug name ☐ NDC	
Have you utilized the appropriate modifier to document use of the complete single-dose vial (JZ) or to document that a portion of the vial was discarded (JW)? ☐ Yes	
Have you included other modifiers as applicable, such as TB or JG for drugs acquired through the 340B Program?  ☐ Yes	

For billing and coding questions, call **Heron Connect®** at **1-844-HERON11 (1-844-437-6611)** 8 AM to 5 PM ET, Monday through Friday.

For more information, visit HeronConnect.com

Please see full Prescribing Information, including Boxed Warning.

